

ANR Pipeline Southwest Area and Southwest Mainline - Planned Maintenance Schedule (Updated 07/01/2026)

July 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	EG Hill Northbound (FPEGHLNB)				
7/13 - 7/17	ANR 485-1001 Kelton to Gageby Creek ILI, ANR 464-1601, ANR 1-464-1601 Custer to Mooreland ILI	19 MMcf/d	196 MMcf/d	High	High
	Mooreland Northbound (FPMORLNB)				
7/13 - 7/24	ANR 485-1001 Kelton to Gageby Creek ILI, ANR 464-1601, ANR 1-464-1601 Custer to Mooreland ILI	18 MMcf/d	188 MMcf/d	High	High
	Custer Northbound (FPCSTRNB)				
7/13 - 7/24	ANR 485-1001 Kelton to Gageby Creek ILI, ANR 464-1601, ANR 1-464-1601 Custer to Mooreland ILI	4 MMcf/d	36 MMcf/d	High	High
	Red River Interconnect (185837)				
7/13 - 7/17	ANR 485-1001 Kelton to Gageby Creek ILI	125 MMcf/d	0 MMcf/d	High	High
	Kizer Creek (LOCID: 513106)				
7/20 - 7/24	ANR 464-1601, ANR 1-464-1601 Custer to Mooreland ILI	Shut In	0 Mmcf/d	High	High
	Barnitz Creek (LOCID: 513128)				
7/20 - 7/24	ANR 464-1601, ANR 1-464-1001 Custer to Mooreland ILI	116 MMcf/d	0 Mmcf/d	High	High
	SWML Northbound (FPSWMLNB)				
7/1 - 7/6	Havensville CS Foundation Repair	116 MMcf/d	590 MMcf/d	Medium	Medium
7/7 - 7/13	ANR 2-100 Birmingham CS to MP 618.7 ILI, Havensville CS Foundation Repair, Maitland ESD System Inspection	206 MMcf/d	500 MMcf/d	High	High
7/14 - 7/17	Lineville CS ESD System Inspection and MCC Work, Havensville CS Foundation Repair	161 MMcf/d	545 MMcf/d	High	High
7/18 - 7/24	Birmingham CS Network Upgrade, Havensville CS Foundation Repair	126 MMcf/d	580 MMcf/d	Medium	Medium
7/25 - 7/31	Havensville CS Foundation Repair	116 MMcf/d	590 MMcf/d	Medium	Medium
Aug 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	EG Hill Northbound (FPEGHLNB)				
8/3 - 8/8	ANR 0-100 EG Hill to Greensburg ILI	104 MMcf/d	111 MMcf/d	High	High
8/9 - 8/27	ANR 464-1001 Lenora to Mooreland ILI, ANR 0-100 EG Hill to Greensburg ILI, ANR 1-464-1601 Squaw Creek to Lenora Station ILI, ANR 464-0802/464-0803 Transok Tap to Squaw Creek ILI	21 MMcf/d	194 MMcf/d	Low	Low
	Mooreland Northbound (FPMORLNB)				
8/3 - 8/8	ANR 1-464-1601 Custer to Mooreland ILI, ANR 0-100 EG Hill to Greensburg ILI	100 MMcf/d	106 MMcf/d	High	High
8/9 - 8/27	ANR 464-1001 Lenora to Mooreland ILI, ANR 0-100 EG Hill to Greensburg ILI, ANR 1-464-1601 Squaw Creek to Lenora Station ILI, ANR 464-0802/464-0803 Transok Tap to Squaw Creek ILI	21 MMcf/d	185 MMcf/d	Low	Low
	Custer Northbound (FPCSTRNB)				
8/3 - 8/8	ANR 1-464-1601 Custer to Mooreland ILI, ANR 0-100 EG Hill to Greensburg ILI	20 MMcf/d	20 MMcf/d	High	High
8/9 - 8/27	ANR 464-1001 Lenora to Mooreland ILI, ANR 0-100 EG Hill to Greensburg ILI, ANR 1-464-1601 Squaw Creek to Lenora Station ILI, ANR 464-0802/464-0803 Transok Tap to Squaw Creek ILI	4 MMcf/d	36 MMcf/d	Low	Low
	CIG Beaver				
8/3 - 8/12	ANR 1-464-1601 Custer to Mooreland ILI, ANR 0-100 EG Hill to Greensburg ILI	165 MMcf/d	0 MMcf/d	High	High
	Hanor Roberts Ranch (221448)				
8/12 - 8/14	ANR 1-464-1601 Custer to Mooreland ILI, ANR 0-100 EG Hill to Greensburg ILI	1.5 MMcf/d	0 MMcf/d	High	High
	SWML Northbound (FPSWMLNB)				
8/1 - 8/12	Havensville CS Foundation Repair	116 MMcf/d	590 MMcf/d	Medium	Medium
8/13 - 8/22	ANR 0-100 Greensburg to Enterprise ILI, Havensville CS Foundation Repair	206 MMcf/d	500 MMcf/d	High	High
Sep 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	EG Hill Northbound (FPEGHLNB)				
9/13 - 9/18	ANR 1-485-1001 Kelton to Gageby Creek ILI	74 MMcf/d	141 MMcf/d	High	High

ANR Pipeline Southwest Area and Southwest Mainline - Planned Maintenance Schedule (Updated 07/01/2026)

	Palo Duro (438677)				
9/13 - 9/18	ANR 1-485-1001 Kelton to Gageby Creek ILI	92 MMcf/d	0 MMcf/d	High	High
	Wheeler Hidetown (523099)				
9/13 - 9/18	ANR 1-485-1001 Kelton to Gageby Creek ILI	480 MMcf/d	0 MMcf/d	High	High
	Red River Interconnect (185837)				
9/13 - 9/18	ANR 1-485-1001 Kelton to Gageby Creek ILI	125 MMcf/d	0 MMcf/d	High	High
	Mooreland Northbound (FPMORLNB)				
9/13 - 9/18	ANR 1-485-1001 Kelton to Gageby Creek ILI	71 MMcf/d	135 MMcf/d	Low	Low
	Custer Northbound (FPCSTRNB)				
9/13 - 9/18	ANR 1-485-1001 Kelton to Gageby Creek ILI	7 MMcf/d	33 MMcf/d	Low	Low
	SWML Northbound (FPSWMLNB)				
9/1 - 9/30	Havensville CS Foundation Repair	116 MMcf/d	590 MMcf/d	Medium	Medium
Oct 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	SWML Northbound (FPSWMLNB)				
10/1 - 10/31	Havensville CS Foundation Repair	116 MMcf/d	590 MMcf/d	Medium	Medium
Posted throughput is subject to change based on weather conditions and the condition of the pipeline. Outage dates and impacts are based upon currently available information and are subject to change.					

ANR Pipeline Wisconsin - Planned Maintenance Schedule (Updated 07/01/2026)

July 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	North Avenue (513127)				
7/1 - 7/3	Hydrotest ANR 275 Denmark Tap to Denmark MS	12mmcf	0mmcf	High	High
	Denmark WI (28660)				
7/1 - 7/2	Hydrotest ANR 275 Denmark Tap to Denmark MS	4.49mmcf	0mmcf	High	High
Aug 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	No Impactful Maintenance Scheduled				
Sept 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	No Impactful Maintenance Scheduled				

Posted throughput is subject to change based on weather conditions and the condition of the pipeline.
 Outage dates and impacts are based upon currently available information and are subject to change.

ANR Pipeline Storage Facilities and Michigan Leg North/South - Planned Maintenance Schedule (Updated 07/01/2026)

Jul 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Bridgman Northbound (FPBRGMNB)				
7/28 - 7/31	ANR 1-100 MLV 64 Hydrotest	467 MMcf/d	1155 MMcf/d	High	High
Aug 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	St. John Eastbound (FPSTJNEB)				
8/30 - 8/31	ANR 2-100 MP 820.2 to MP 849.8 ILI	25 MMcf/d	1300 MMcf/d	Low	Low
	Bridgman Northbound (FPBRGMNB)				
8/1 - 8/24	ANR 1-100 MLV 64 Hydrotest	467 MMcf/d	1155 MMcf/d	High	High
Sep 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	St. John Eastbound (FPSTJNEB)				
9/1 - 9/3	ANR 2-100 MP 820.2 to MP 849.8 ILI	25 MMcf/d	1300 MMcf/d	Low	Low
9/8 -9/19	ANR 0-100 MP 882 Integrity Dig	100 MMcf/d	1225 MMcf/d	Medium	Medium
	Bridgman Northbound (FPBRGMNB)				
9/21 - 9/25	ANR 2-100 MP 985.69 to MP 1030.84 ILI	TBD	TBD	TBD	TBD
Oct 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	No Impactful Maintenance Scheduled				
Posted throughput is subject to change based on weather conditions and the condition of the pipeline. Outage dates and impacts are based upon currently available information and are subject to change.					

ANR Pipeline Southeast Area, Southeast Mainline and Tie-Line - Planned Maintenance Schedule (Updated 07/01/2026)

July 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Patterson/Trunkline Del (LOC #40317)				
7/22 - 7/23	Pattterson CS ESD VLV & Act Insp 1Y	94-MMcf/d	0-MMcf/d	Low	Low
	Patterson to Col Gulf (LOC #43613)				
7/22 - 7/23	Pattterson CS ESD VLV & Act Insp 1Y	143-MMcf/d	0-MMcf/d	Low	Low
	Riverway (To Bridgeline) (LOC #42593)				
7/22 - 7/23	Pattterson CS ESD VLV & Act Insp 1Y	250-MMcf/d	10-MMcf/d	High	High
	Shadyside/Sonat (Del) (LOC #10369)				
7/22 - 7/23	Pattterson CS ESD VLV & Act Insp 1Y	377-MMcf/d	110-MMcf/d	High	High
	Avalon (LOC #38295)				
7/22 - 7/23	Pattterson CS ESD VLV & Act Insp 1Y	110-MMcf/d	0-MMcf/d	Low	Low
	Shadyside/TGP (Del) (LOC #467240)				
7/22 - 7/23	Pattterson CS ESD VLV & Act Insp 1Y	443-MMcf/d	30-MMcf/d	Low	Low
	ST Landry/FL INT (LOC #322625)				
7/22 - 7/23	Pattterson CS ESD VLV & Act Insp 1Y	55-MMcf/d	44-MMcf/d	High	High
	Weeks ISLA/LIG PL (LOC #233620):				
7/22 - 7/23	Pattterson CS ESD VLV & Act Insp 1Y	298-MMcf/d	12-MMcf/d	High	High
	Cottage Grove Southbound (FPCTGGSB)				
7/7 - 7/8	Celestine CS Unit #10 Solar Borescope /soakwash 8K inspection	157-MMcf/d	1,075-MMcf/d	High	High
7/15 - 7/16	Celestine CS ESD Sys Insp USGO 1Y, VLV & Act Insp 1Y	270-MMcf/d	963-MMcf/d	High	High
7/28 - 7/29	Cottage Grove CS ESD VLV & Act Insp 1Y	295-MMcf/d	937-MMcf/d	High	High
	Shelbyville Southbound (FPSHBVSB)				
7/20 - 7/31	Shelbyville CS Network Monitor Upgrade	332-MMcf/d	708-MMcf/d	High	High
	Defiance Southbound (FPDEFNSB)				
7/20 - 7/31	Shelbyville CS Network Monitor Upgrade	180-MMcf/d	709-MMcf/d	High	High
	Defiance Westbound (FPDEFNWB)				
7/13 - 7/31	1-504 Amish School class change, 0-504 Amish School class change, Integrity digs 1-504 MP42.	195-MMcf/d	490-MMcf/d	High	High

Aug 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Patterson/Trunkline Del (LOC #40317)				
8/3 - 8/14	Eunice CS valve replacement	94-MMcf/d	0-MMcf/d	Low	Low
	Patterson to Col Gulf (LOC #43613)				
8/3 - 8/14	Eunice CS valve replacement	143-MMcf/d	0-MMcf/d	Low	Low
	Riverway (To Bridgeline) (LOC #42593)				
8/3 - 8/14	Eunice CS valve replacement	130-MMcf/d	40-MMcf/d	High	High
	Shadyside/Sonat (Del) (LOC #10369)				
8/3 - 8/14	Eunice CS valve replacement	431-MMcf/d	150-MMcf/d	High	High
	Avalon (LOC #38295)				
8/3 - 8/14	Eunice CS valve replacement	85-MMcf/d	25-MMcf/d	High	High
	Shadyside/TGP (Del) (LOC #467240)				
8/3 - 8/14	Eunice CS valve replacement	443-MMcf/d	30-MMcf/d	High	High
	ST Landry/FL INT (LOC #322625)				
8/3 - 8/14	Eunice CS valve replacement	69-MMcf/d	30-MMcf/d	High	High
	Weeks ISLA/LIG PL (LOC #233620):				
8/3 - 8/14	Eunice CS valve replacement	270-MMcf/d	40-MMcf/d	High	High
	Lake Arthur Southbound (FPLKARSB)				
TBD (2 days)	Mermentau CS ESD Sys Insp, GRC Unit 2 Solar Taurus SW/BS 4K	728-MMcf/d	350-MMcf/d	High	High
	Evangeline Southbound (FPEVNGSB)				
8/3 - 8/14	Eunice CS valve replacement	380-MMcf/d	926-MMcf/d	High	High
TBD (2 days)	Eunice CS Unit #4 Solar Titan 130 Insp/Ma 8K2Y	180-MMcf/d	1,127-MMcf/d	High	High
8/4	Turkey Creek CS ESD Sys Insp USGO 1Y	120-MMcf/d	1,187-MMcf/d	High	High
	Delhi Southbound (FPDELHSB)				
8/10 - 8/21	Integrity digs MP 162	150-MMcf/d	1,064-MMcf/d	High	High
	Brownsville Southbound (FPBRVSVB)				
TBD (1 day)	Brownsville CS unit #9 C&M Sys Test & Insp Gas F 1Y	239-MMcf/d	988-MMcf/d	High	High
	Cottage Grove Southbound (FPCTGGSB)				
TBD (2 days)	Madisonville CS ESD System Inspection	268-MMcf/d	965-MMcf/d	High	High
TBD (2 days)	Celestine CS Units #9 & #10 Solar Mars Insp/Maint Wa 4K	157-MMcf/d	1,075-MMcf/d	High	High
8/14 - 8/28	Madisonville CS valve replacements	260-MMcf/d	972-MMcf/d	High	High
	Defiance Westbound (FPDEFNWB)				
8/1 - 8/14	Integrity Digs 1-504 MP42	195-MMcf/d	490-MMcf/d	High	High
Sept 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
	Jena Southbound (FPJENSSB)				
9/8	Jena CS Unit #8 Solar Mars SKID-8K	145-MMcf/d	1,196-MMcf/d	High	High
	Brownsville Southbound (FPBRVSVB)				
TBD (2 days)	Brownsville CS unit #9 Solar GP & PT Remvl/Inst 30K	239-MMcf/d	988-MMcf/d	High	High
	Cottage Grove Southbound (FPCTGGSB)				
9/8 - 9/17	1-501 Madisonville CS to Cottage Grove MLV 39 to MLV 44, NPS 30 In-line Inspection	310-MMcf/d	972-MMcf/d	High	High
9/17 - 9/30	Madisonville CS valve replacements	260-MMcf/d	972-MMcf/d	High	High
TBD (2 days)	Celestine Unit 10 Solar Mars Insp/Maint Wa 4K	157-MMcf/d	1,075-MMcf/d	High	High
TBD (2 days)	Celestine CS Units #9 Solar GP & PT Remvl/Inst 30K	157-MMcf/d	1,075-MMcf/d	High	High
9/14 - 9/18	1-501 Celestine CS to Ohio River ILI	250-MMcf/d	982-MMcf/d	High	High
9/28 - 9/30	Cottage Grove CS unit #7 Enginuity Upgrade	75-MMcf/d	1157-MMcf/d	High	High

Defiance Southbound (FPDEFNSB)					
9/8 - 9/21	Integrity digs 1-501 MP809	175-MMcf/d	710-MMcf/d	High	High
Oct 2026	Area/Segment	Capacity Impact	Available Capacity	Potential Cuts Firm Primary	Potential Cuts Firm Secondary / ITS
Lake Arthur Southbound (FPLKARSB)					
10/19 - 10/23	1-502/0-767 MP 16.3 TO MLV 0 TO Grand Chenier	728-MMcf/d	350-MMcf/d	High	High
Evangeline Southbound (FPEVNGSB)					
TBD (3 days)	Eunice CS Unit #4 SSolar Titan 130 Insp/Main 4K	180-MMcf/d	1,127-MMcf/d	High	High
Delhi Southbound (FPDELHSB)					
10/5 - 10/9	In Line Inspection 0-501 Southside MS River to Delhi CS	250-MMcf/d	963-MMcf/d	High	High
Brownsville Southbound (FPBRVSB)					
TBD (1 day)	Brownsville CS unit #9 Solar Mars Insp/Maint S 8K2Y	239-MMcf/d	988-MMcf/d	High	High
Cottage Grove Southbound (FPCTGGSB)					
10/1 - 10/9	Cottage Grove CS unit #7 Enginuity Upgrade	75-MMcf/d	1157-MMcf/d	High	High
10/1 - 10/3	Madisonville CS valve replacements	260-MMcf/d	972-MMcf/d	High	High
TBD (1 day)	Celestine CS Units #9 & #10 Maj EQP ATK Fltr Insp/Rep 1Y	157-MMcf/d	1,075-MMcf/d	High	High
TBD (1 day)	Madisonville CS Unit #9 Maj EQP ATK Fltr Insp/Rep 1Y	183-MMcf/d	1,049-MMcf/d	High	High
Posted throughput is subject to change based on weather conditions and the condition of the pipeline. Outage dates and impacts are based upon currently available information and are subject to change.					